

# KERALA STATE CO-OPERATIVE CONSUMERS' FEDERATION LTD. 4328

Gandhi Nagar, Ernakulam, Kochi – 682020, Phone : 0484 2203507, 2203652 KGST : 23030138, GST : 32AAAAK1164C1ZE , PAN : AAAAK1164C Website : www.consumerfed.net, Email : mdconsumerfed@gmail.com

#### **TENDER NOTICE**

#### CFED/NBD/14/2023-24

17.04.2023

The Kerala State Co-operative Consumer's Federation inviting sealed quotations from reputed companies for the purchase of Machines. Tenders receivable upto 3.00 P.M, on 28.04.2023. Rate may be quoted inclusive of all taxes or any other expenses. Terms & Conditions may be downloaded from our website <a href="https://www.consumerfed.net">www.consumerfed.net</a>. For more details please contact Ph:9072220152,8281898333.

SL NO.	ITEM
1	Sewing and Perforating machine
2	Stapling machine
3	Comb binding machine
4	Eyeleting machine
5	Forklift
6	Multifunctional Printer for the office use
7	Shrink packing machine
8	Box Strapping machine

Tender Submission End Date & Time : 28.04.2023, 2.00 P.M Tender opening Date & Time : 28.04.2023, 3.00 P.M Submission of Hard Copy, Date & Time : 28.04.2023, 3.00 P.M

Note: All Tenderer must produce the details of EMD remittance, List of Government supplies made by the firm, Copy of purchase orders from State or Central Government Organisations and Performance certificate from reputed customers to Managing Director Head Office, Consumerfed, Ernakulam before 28.04.2023, 3.00 P.M. For details please refer Terms and Conditions.

Sd/-

**Managing Director** 



#### **TENDER DOCUMENT**

# THE KERALA STATE CO-OPERATIVE CONSUMER'S FEDERATION LTD GANDHINAGAR, KOCHI-682020

PHONE: 0484-2203507,2203652. e-mail: econsumerfednbs@gmail.com Website: www.consumerfed.net

Tender Notice and Terms & Conditions may be downloaded from www.consumerfed.net .

The Tenderer should be remitted as EMD in the form of Demand Draft, RTGS,NEFT, Bank Guarantee, drawn in favors of 'The Kerala State Co-operative consumer's Federation Limited, Kochi.

#### Earnest Money Deposit(EMD) : -

Sewing and Perforating machine – Rs.1600/Stapling machine - Rs. 1000/Comb binding machine - Rs. 160/Eyeleting machine - Rs. 170/Forklift - Rs. 1500/Multifunctional Printer for the office use - Rs. 900/Shrink packing machine - Rs.1500/Box Strapping machine - Rs. 1700/-

The remittance documentation of receipt must be enrolled with submitted tender documents before the last date and time at Consumerfed Head Office in a sealed cover with the tender number on top of the cover along with Tender documents on or before 28.04.2023, 3.00 PM.

A refundable Security Deposit of an amount of 5% of the value of the contract will have to be remitted by the successful Bidder as Performance Security Deposit, (DD, NEFT, RTGS, Bank Guarantee) it will be refunded to the bidder without any interest after the completion of the contract in all respects.

THE KERALA STATE CO-OPERATIVE CONSUMER'S FEDERATION LTD reserves the right to accept/reject any tender without assigning any reason whatsoever.

Sd/- Managing Director

Seal and signature

## **Proposed machines specifications** ;-

## 1. Sewing and perforating machine

A) Sewing Machine:-

Material : Mild Steel.

Automation Grade : Semi-Automatic.

: Double Head

Country of Origin : Made in India.

Size : 42 Inch. : 1 Phase 1HP Power Thickness : 12 mm.

## **B) Perforating Machine:-**

: 40 KG aprox Weight Automation Grade : Manual Voltage : NA

: 24x23x37 inch aprox Size

Speed : MANUAL

: 18" Paper Size

Usage/Application : Perforating Machine

## 2.Stapling machine:-

Max. Binding Thickness : 0.2-6mm

Max. Binding Capacity
Steel Wing St : 70mm (75g) A4 book 70 Pages Steel Wire Size 25 Stitching wire/dimeter

0.5-0.6mm Round Steel wire

Max. Distance between two head 14.5mm Min. Distance between two head 7mm Motor power 650W

110/220, 50/60HZ Voltage Dimension 400x410x840mm

Weight : 60-65 kg

## 3. Comb binding machine:-

: A3 & A4 portrait documents. Binding size

Punch Capacity and slots: 21 punch slots with a punch capacity of 20

sheets (80gsm).

Binding capability : Up to 330 sheets with a 38mm comb.

### 4. Eyeleting machine:-

Eyeleting Diameter : 4mm **Binding Thickness** : ≤ 3mm Vertical Working Travel: 60mm

Vessel Volume (Container Capacity of Eyelet):1200 Grain

: 44\*30\*39cm Size

Weight : 13 Kgs

## 5. Forklift:-

Max. roll diameter : 2000 linear meters roll

Max. roll weight : 250 Kg Max. working height : 1050 mm

Max. roll width : 500 mm (max)

Core ID : 76 mm (max)

### 6 . Multifunctional Printer for the office use:-

Printing Technology : Precision Core Heat-Free Technology Nozzle Configuration : 400 x 2 nozzles each colour (Black, Cyan,

Magenta, Yellow)

Print Direction : Bi-directional printing, Uni-directional printing

Maximum Resolution : 4800 x 1200 dpi

Minimum Ink Droplet Volume: 3.8 pl

Print Speed : Up to 34 ppm / 34 ppm

Automatic 2-sided Printing : Yes (up to A4)

Copy Speed : Up to 22 ipm / 22 ipm

Maximum Copy Resolution : 600 x 1200 dpi

Scanner Type : Flatbed colour image scanner

Optical Resolution : 1200 x 2400 dpi

Maximum Scan Area : 216 x 297 mm (8.5" x 11.7")

Scan Speed [Flatbed / ADF (Simplex) / ADF (Duplex)]

Monochrome : 200dpi 5.0 sec / 30 ppm / 60 ipm Colour : 200dpi 5.0 sec / 30 ppm / 60 ipm

Support Paper Thickness : 64 - 95 g/m2

Number of Paper Trays : 3 (Front 2, Rear 1)

Input Capacity : Cassette 1: 250 sheets (80 g/m2), 50 sheets

Premium Glossy Photo Paper Cassette 2: 500 sheets (80 g/m2) Rear Slot: 80 sheets (80 g/m2)

Output Capacity : 150 sheets (80 g/m2), 20 sheets Premium

Glossy Photo Paper

Paper Size : 8.5 x 13", Legal, Letter, A4, Executive, B5,

A5, A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes:

#10, DL, C6, C4

Maximum Paper Size (Rear Tray) 215.9 x 6,000 mm (8.5 x 236.2")

USB : USB 2.0

Network : Ethernet, WiFi IEEE 802.11b/g/n, WiFi Direct Network Protocol : CP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD Control Panel : LCD Screen 10.9 cm (4.3") TFT Colour LCD

Printer Software : Operating System Compatibility Windows XP/

Vista / 7 / 8 / 8.1 / 10, Windows Server 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later

Electrical Specifications : Rated Voltage AC 220 - 240V

#### 7. Shrink Packing Machine :-

Shrink Tunnel with L-Sealer

Particulars Voltage (V/Hz)	L-SEALER AC 220 /50	(Shrink Tunnel) 220 / 60 (3 PH)
Power Consumption (KW)	.5	6.5
Packing Speed (pcs/min)	0~12	0~10
Max Packing dimension mm	500L x 400W x300H	900×450×(50-250)
Dimension (LxWxH) (mm)	1370 x 920 x 1800	1200×650×1100
Conveyor Loading(kg)	_	10
Weight (kg)	60	100

#### 8. Box Strapping Machine:-

Voltage (V) : 110V, 220V, 230V, 240V, 220V, 380V, 415V, 440V

Arch Size (mm)  $: 850(W) \times 600(H)$ 

Strapping speed : 2.4 Sec. / per strap (2.0 sec./strap option)

Frequency (Hz) : 50-60 Strap Width Mm : 9,12,15,19 Strap Tension : 0-70 gs

Precisely strap small cartons a requested at the requested position

• Leakage breaker ensure the safety

## **TERMS & CONDITIONS**:-

- 1. The minimum average turnover of the manufacturer for the last five years shall not be less than 10 crore for machines similar to Printing, Packaging and Binding.
- 2. Manufacturing firm should have preferably ISO 9001 quality certificate.
- 3. For availing prompt and fast service of machine after installation, the manufacturers should need to have their own office in South India with stationed service engineers. The details and necessary proof for the same may be furnished, together with their permanent address and phone numbers.
- 4. The manufacturer should mention the number of machines sold in Kerala with customer details in the last five years and also total number of machines in Kerala.
- 5. The machine warranty is for a period of 3 year with free service. AMC (after warranty period) details should be specified. Specify the year-wise rate for a period of 5 years after warranty period.
- 6. The tenderer should produce documentary evidence in proof of the following:
  - List of Government supplies made by the firm.
  - Copy of purchase orders from State or Central Government Organisations.
  - Performance certificate from reputed customers.
- 7. Rates quoted should be inclusive of all taxes/charges inclusive of loading, unloading, transportation and erection and installation charges.

- 8. Pre installation requirement including the required foundations, cabling, electrical, if any, should be intimated by the successful bidder immediately after confirmation of the supply order. Necessary layout and foundation drawings also should be furnished.
- 9. Spare parts, mechanical and electrical be provided.
- 10. Catalogues/ operation manuals/ spare parts manuals along with all technical details of the machine should be produced by the successful bidder, at the time of supply of machine.
- 11. Installation and trial run should be carried out at the suppliers cost and risk.
- 12. Required accessories/ spares/ tools for installation to be taken care of by the tenderer.
- 13. Supervisors/Operators as decided by the Consumerfed should be trained free of cost by the firm after the completion of installation.
- 14. During the erection/commissioning or while performing in the guarantee period, if the machine supplied is found defective, improper or not as per the specifications or of inferior quality, or is not otherwise in accordance with the contract, then the Consumerfed shall intimate this fact in writing to the supplier for rectification/replacement of such defective machines at their own cost to the entire satisfaction of the Consumerfed. In the event of their failure to do as above, Consumerfed reserves the right to carry out such repair work at their risk and cost of defaulted supplier.
- 15. My abnormal delay by the supplier in delivery/ commissioning etc. attract compensation and penalty by the supplier or action as decided by the Consumerfed.
- 16. All the technical specification should be clearly mentioned by the tenderer.
- 17.Only manufacturing firms (OEMs) or their authorized dealers are eligible to participate in the tender.
- 18. Demonstration of the machines should be arranged by the manufacturer/authorized dealer, if needed for making a proper technical decision regarding buying.
- 19. The supplier shall undertake that the firm has never been blacklisted by any Government/Quasi Government firm in India and no case is pending against the firm. This should also be made clear in the tender as preliminary undertaking (as per the affidavit format enclosed to be executed in Kerala Stamp Paper worth Rs.200/-).
- 20. Details of the machine offered such as Brochures, drawings if any, video CDs demonstrating the operation etc. should be brought at the Pre-bid meeting and any deviation from the technical specifications should be clarified and got approved by the purchaser's technical authorities.
- 21.Rate quoted should be valid for a period of minimum 6 months.
- 22. Any document/certificate required from the Consumerfed for delivery of machines should be specified in advance.
- 23. Consumerfed has every right to reject the tender at any time during the tendering process if any violation of any of the tender conditions is noticed.
- 24. The successful tenderer shall furnish a Security Deposit equivalent to 5% of the total value of the contract rounded to the nearest rupee. The EMD and Performance Security are refundable. The Performance Security will be returned only after the warranty period.

Seal and signature

#### **ELIGIBILITY CRITERIA:**

Pre-Qualification or Technical proposal shall contain the scanned copies of the following documents as hard copy to Consumerfed before the last date and time mention in the tender notice

- Sealed and signed copy of the Tender Document-1, and Notice Inviting Tender-1.
- Brief Company Profile in the letter head of the firm duly sealed and signed.
- Documents to prove 3 years' experience in the field. (Sealed and signed copy of Balance Sheet or Audited Financial Statements and IT returns).
- Sealed and signed copy of GST registration of the firm.
- Copy of PAN card of the firm duly sealed and signed.

THE KERALA STATE CO-OPERATIVE CONSUMER'S FEDERATION LTD reserves the right to accept/reject any tender without assigning any reason whatsoever.

Sd/- **Managing Director** 

Seal and signature

## BANK ACCOUNT DETAILS FOR REMITTING TENDER FEE, EMD, SECURITY DEPOSIT: -

Account Name : K S C C F LTD

Bank Name : Kerala Bank

Branch : Main Branch Ernakulam

Acount Number : 140866003000064

IFSC : KSBK0001408

Sd/-

**Managing Director** 

(letter head)

Managing Director Kerala State Cooperative Consumers' Federation Ltd. Ernakulam.

Sir,

I/We hereby tender to supply, under the annexed conditions of contract; the whole of the items referred to and described in the attached specification and schedule, or any portion thereof, as may be decided by Consumerfed, at the rates quoted against each item. The items will be delivered within the time and at the places specified in the schedule.

I/We/am/are remitting Rs. ...... as earnest money deposit .

Yours faithfully,

Si	gnature	
	_	
Address.		
	Phone No	
	Fax No	
	Email	
	GST No	
Date		

Seal and Seal and signature